CANADIAN JOURNAL OF RESEARCH

VOLUME 18
1940
SECTION C

CANADA

Published by the
NATIONAL
RESEARCH COUNCIL
of CANADA

Section C

INDEX TO VOLUME 18

Authors

Anderson, J. A.—See Ayre, C. A., Sallans, H. R.

Ayre, C. A., Sallans, H. R., and Anderson, J. A.—Varietal differences in barleys and malts. IX. Carbohydrate fractions of barley and their correlations with total nitrogen and 1000-kernel weight, 169.

Bell, H. P.—Calyx end structure in the Gravenstein apple, 69.
Winter growth in the vegetative buds of the Wagener apple, 585.

Bier, J. E.—See Mounce, I.

Boyes, J. W.—See Peto, F. H.

Brown, A. M.—The sexual behaviour of several plant rusts, 18.
An aberrant strain of *Puccinia Helianthi* Schw., 513.

Castell, C. H. and Garrard, E. H.—Action of micro-organisms on fat. II. Observations of uninoculated globules of triglycerides and fatty acids and of butterfat in an agar medium, 158.

Cormack, M. W.—See Sanford, G. B.

Crowell, I. H.—New species of *Gymnosporangium*, 10.
The geographical distribution of the genus *Gymnosporangium*, 469.

Engelbert, V.—Reproduction in some *Poa* species, 518.

Farrar, J. L.—See Grace, N. H.

Farrar, J. L. and Grace, N. H.—Note on the propagation by cuttings of white pine and white spruce, 612.

Garrard, E. H.—See Castell, C. H.

Gibbs, R. D.—Studies in tree physiology. II. Seasonal changes in the food reserves of field birch (*Betula populifolia* Marsh.), 1.

Grace, N. H.—Vegetative propagation of conifers. IV. Effects of cane sugar, ethyl mercuric phosphate, and indolylacetic acid in talc dust, on the rooting of Norway spruce, 13.
The effect of nutrient salts in organic mercurial seed disinfectants on the germination and early growth of wheat, 151.
Effects of two preparations of naphthylacetic acid on the germination and early growth of wheat seed damaged by formaldehyde, 215.
Effects of dust containing indolylbutyric acid and oestrone on the rooting of dormant *Lonicera tatarica* cuttings, 283.
Responses of plant cuttings to treatment with naphthyl acids and their potassium salts in a talc carrier, 457.

Grace, N. H.—See Farrar, J. L.

Grace, N. H. and Farrar, J. L.—Vegetative propagation of conifers. VI. Hormone solution and dust treatments of spruce cuttings propagated in greenhouse and outside frames, 401.
VIII. Effects of media and phytohormone dust treatments on the rooting of Norway spruce cuttings, 591.

Grace, N. H. and Thistle, M. W.—Vegetative propagation of conifers. V. The effect of indolylacetic acid and nutrient solutions on the rooting of Norway spruce cuttings, 122.

Grace, N. H., Farrar, J. L., and Hopkins, J. W.—Vegetative propagation of conifers. VII. Outdoor propagation of a November collection of Norway spruce cuttings treated with phytohormones, cane sugar, and an organic mercurial disinfectant, 566.

Groh, H. and Senn, H. A.—*Prunus* in Eastern Canada, 318.

Harrington, J. B.—Yielding capacity of wheat crosses as indicated by bulk hybrid tests, 578.

Hibbert, H.—See Neish, A. C.

Hopkins, J. W.—Agricultural meteorology: A statistical study of conservation of precipitation by summer fallowed soil tanks at Swift Current, Saskatchewan, 388.
Effect of phytohormone dust seed treatment on growth and yield of barley under greenhouse conditions, 507.

Hopkins, J. W.—See Grace, N. H.

James, N. and Sutherland, M. L.—Effect of numbers of colonies per plate on the estimate of the bacterial population in soil, 347.
Fluctuations in numbers of bacteria in soil, 435.

Johnson, L. P. V.—Relation of sunspot periodicity to precipitation, temperature, and crop yields in Alberta and Saskatchewan, 79.

Johnson, T.—See Newton, M.

Johnson, T. and Newton, M.—Crossing and selfing studies with physiologic races of oat stem rust, 54.
The influence of light and certain other environmental factors on the mature-plant resistance of Hope wheat to stem rust, 357.
Mendelian inheritance of certain pathogenic characters of *Puccinia graminis Tritici*, 599.

Levitt, J. and Siminovitch, D.—The relation between frost resistance and the physical state of protoplasm, 550.

Lochhead, A. G.—Qualitative studies of soil micro-organisms. III. Influence of plant growth on the character of the bacterial flora, 42.

Lochhead, A. G.—See West, P. M.

Love, R. M.—Chromosome number and behaviour in a plant breeder's sample of pentaploid wheat hybrid derivatives, 415.

MacArthur, M.—Histology of some physiological disorders of the apple fruit, 26.

McCalla, A. G.—Varietal differences in the relation between protein content of wheat and loaf volume of bread, 111.

Malloch, J. G. and Young, R. S.—Nitrification under and after alfalfa, brome, timothy, and western rye grass.
IV. Oxidation-reduction potentials and carbon dioxide production, 142.

Mounce, I., Bier, J. E., and Nobles, M. K.—A root-rot of Douglas fir caused by *Poria Weirii*, 522.

Neish, A. C. and Hibbert, H.—Effect of crown gall formation on the chemical composition of beets, 613.

Newton, M.—See Johnson, T.

Newton, M., Johnson, T., and Peturson, B.—Seedling reactions of wheat varieties to stem rust and leaf rust and of oat varieties to stem rust and crown rust, 489.

Newton, R. and Young, R. S.—Nitrification under and after alfalfa, brome, timothy, and western rye grass.
III. Composition of hay crop residues, 136.
V. Biological assays of hay crop residues, 374.

Nobles, M. K.—See Mounce, I.

Peto, F. H. and Boyes, J. W.—Hybridization of *Triticum* and *Agropyron*. VI. Induced fertility in Vernal emmer × *A. glaucum*, 230.
Comparison of diploid and triploid sugar beets, 273.

Peturson, B.—See Newton, M.

Pomerleau, R.—Studies on the ink-spot disease of poplar, 199.

Quincke, F. L.—Interspecific and intergeneric crosses with *Hordeum*, 372.

Sallans, B. J.—The use of water by wheat plants when inoculated with *Helminthosporium sativum*, 178.

Sallans, H. R.—See Ayre, C. A.

Sallans, H. R. and Anderson, J. A.—Varietal differences in barleys and malts.
VIII. Correlations between enzymatic activities and malt extract, malting loss, and steeping time, 35.
X. Correlations of carbohydrates with nitrogen fractions and with malt extract, steeping time, and malting loss, 219.

Sanford, G. B. and Cormack, M. W.—Variability in association effects of other soil fungi on the virulence of *Helminthosporium sativum* on wheat seedlings, 562.

Semeniuk, W.—Physiologic races of *Ustilago hordei* (Pers.) K. and S. in Alberta, 76.

Senn, H. A.—See Groh, H.

Siminovitch, D.—See Levitt, J.

Sutherland, M. L.—See James, N.

Thistle, M. W.—See Grace, N. H.

Timonin, M. I.—The interaction of higher plants and soil micro-organisms.
I. Microbial population of rhizosphere of seedlings of certain cultivated plants, 307.
II. Study of the microbial population of the rhizosphere in relation to resistance of plants to soil-borne diseases, 444.

Tyner, L. E.—The effect of crop debris on the pathogenicity of cereal root-rotting fungi, 289.

Vanterpool, T. C.—Studies on browning root-rot of cereals. VI. Further contributions on the effects of various soil amendments on the incidence of the disease in wheat, 240.

Waddell, W. H.—A study of the relation between the seedling and mature-plant reaction to *Puccinia graminis Tritici* in durum wheat crosses involving Iumillo, 258.

Wehmeyer, L. E.—Contributions to a study of the fungus flora of Nova Scotia.
IV. Additional Basidiomycetes, 92.
V. Discomycetes, 535.

West, P. M. and Lochhead, A. G.—Qualitative studies of soil micro-organisms. IV. The rhizosphere in relation to the nutritive requirements of soil bacteria, 129.

Young, R. S.—See Malloch, J. G., Newton, R.

SECTION C

INDEX TO VOLUME 18

Subjects

Actinomycetes
Association effects of, on virulence of Helminthosporium on wheat, 565.
Number of, in rhizosphere of some higher plants, 310, 444.

Agricultural meteorology, See Meteorology, Agricultural.

Agropyron and Triticum, Hybridization of
VI. Induced fertility in Vernal emmer × A. glaucum, 230.

Alfalfa
Microbial population in rhizosphere of, 307.
Nitrification under and after, 136, 142, 374.

Amelanchier nervosa, as host for Gymnosporangium guatemalianum, 10.

Amino acids essential for soil microorganisms, 133.

Amphidiploidy induced in wheat by colchicine, 230.

Apple,
Gravenstein, Calyx end structure in the, 69.
Winter growth in vegetative buds of Wagener, 585.

Apple fruit, Histology of some physiological disorders of the, 26.

Armillaria mellea, as cause of root-rot of Douglas fir, 522.

Aspergillus in hay crop residues, 385.

Avena sativa, Seedling reactions of varieties of, to rust, 489.

Bacteria
Estimate of numbers of soil, 347.
Fluctuations in numbers of soil, 435.
Numbers of
in cultures of wheat watered with crop residue extracts, 386.
in rhizosphere of some higher plants, 310, 444.
The rhizosphere in relation to the nutritive requirements of soil, 129.

Bacterial flora, Influence of plant growth on the character of the, 42.

Barberry, Effect of ageing of teliospores on infection characteristics of rust on, 65.

Barley
Effect of seed treatment on growth and yield of, 507.
infected by Ustilago hordei, 77.
straw, Effect of, on pathogenicity of root-rotting fungi, 289.

Barleys and malts, Varietal differences in
VIII. Correlations between enzymatic activities and malt extract, malting loss, and steeping time, 35.
IX. Carbohydrate fractions of barley and their correlations with total nitrogen and 1000-kernel weight, 169.
X. Correlations of carbohydrates with nitrogen fractions and with malt extract, steeping time, and malting loss, 219.

Basidiomycetes of Nova Scotia, Annotated list of, 92.

Beets
Effect of crown gall on chemical composition of, 613.
Sugar, Comparison of diploid and triploid, 273.

Beta vulgaris, Effect of crown gall on chemical composition of, 613.

Betula populifolia, Seasonal changes in food reserves of, 1.

Birch, Field. See Betula populifolia.

Bitter pit in the apple, Histology of, 30.

Blotchy pit in the apple, Histology of, 30.

Bread, Relation between loaf volume of, and protein content of wheat, 111.

Brome grass, Nitrification under and after, 136, 142, 374.

Browning root-rot of cereals, Studies on
VI. Further contributions on the effects of various soil amendments on the incidence of the disease in wheat, 240.

Calyx end structure in the Gravenstein apple, 69.

Cane sugar, Effect on rooting of spruce cuttings, 14, 410, 569.

Carbohyrate fractions of barley
Correlations between
malting properties and, 222.
nitrogen fractions and, 220.
total nitrogen and 1000-kernel weight, 169.
Regression of malt extract on, 224.

Carbon dioxide production in soils under hay and wheat, 147.

Catalpa, Frost resistance and physical state of protoplasm in, 551.

Cellulose and lignin, Analysis of barley for, 169.

Cereals, Studies on browning root-rot of, 240.

Chromosome number and behaviour in pentaploid wheat hybrid derivatives, 415.

Clover, Microbial population in rhizosphere of, 445.

Colchicine
Fertility induced in a Triticum × Agropyron hybrid by, 230.
Tetraploidy induced in sugar beets by, 273.

Conifers, Vegetative propagation of
IV. Effects of cane sugar, ethyl mercuric phosphate, and indolylacetic acid in talc dust on the rooting of Norway spruce, 13.
V. The effect of indolylacetic acid and nutrient solutions on the rooting of Norway spruce cuttings, 122.
VI. Hormone solution and dust treatments of spruce cuttings propagated in greenhouse and outside frames, 401.
VII. Outdoor propagation of a November collection of Norway spruce cuttings treated with phytohormones, cane sugar, and an organic mercurial disinfectant.
VIII. Effects of media and phytohormone dust treatments on the rooting of Norway spruce cuttings, 591.
Note on vegetative propagation of white pine and white spruce, 612.

Corky core in the apple, Histology of, 28.

Cornus, Frost resistance and physical state of protoplasm in, 552.

Crop residues
Carbon dioxide production by, 149.
Composition of hay, 136.
Effect of, on oxidation-reduction potentials, 143.
on pathogenicity of cereal root-rotting fungi, 289.

Crop yield in Alberta and Saskatchewan, Correlation of sunspot periodicity with, 81.

Crown gall formation, Effect of, on chemical composition of beets, 613.

Cupressus
benthami, as host for Gymnosporangium meridissimum, 10.
sempervirens, as host for Gymnosporangium minus, 10.

Cuttings
Effect of hormone solutions and dust treatment on spruce, 401.
Effect of indolylacetic acid and nutrient solutions on rooting of Norway spruce, 122.
Effect of indolylbutyric acid and oestrone on rooting of dormant Lonicera tatarica, 283.

Cuttings—*Concluded.*
Effect of phytohormones, cane sugar, and organic mercury on outdoor propagation of Norway spruce, 566.
Effects of cane sugar, ethyl mercuric phosphate, and indolylacetic acid on rooting of Norway spruce, 13.
Propagation of white pine and white spruce by, 612.
Responses of plant, to naphthyl acids and their potassium salts, 457.

Deutzia scabra cuttings, Reponses of, to naphthyl acids and their potassium salts, 462.

Diploid sugar beets, 273.

Discomycetes of Nova Scotia, Annotated list of, 535.

Douglas fir, Root-rot of, 522.

Drought spot or superficial cork in the apple, Histology of, 29.

Ethyl mercuric phosphate, See Mercury, Organic.

Fat, Action of micro-organisms on
II. Observations of uninoculated globules of triglycerides and fatty acids and of butterfat in an agar medium, 158.

Fatty acids
Indicators for, 162.
Observations on uninoculated globules of, 161.

Fermentation of hay crop residues, 379.

Flax, Microbial population in rhizosphere of wilt-resistant and wilt-susceptible, 446.

Flax rhizosphere, Nutritive requirements of bacteria from, 130.

Food reserves of field birch, Seasonal changes in, 1.

Formaldehyde, Effects of naphthylacetic acid on wheat seed damaged by, 215.

Frost resistance and the physical state of protoplasm, The relation between
I. The protoplasm as a whole, 550.

Fungi
Association effects of miscellaneous, on virulence of Helminthosporium on wheat, 564.
Cereal root-rotting, Effect of crop debris on pathogenicity of, 289.
Kinds of, in hay crop residues, 385.
Number and kinds of, in rhizosphere of seedlings, 311.
Numbers of
in cultures of wheat watered with crop residue extract, 386.
in rhizosphere of some higher plants, 444.

Fungus flora of Nova Scotia, Contributions to a study of the
IV. Additional Basidiomycetes, 92.
V. Discomycetes, 535.

Fusarium in hay crop residues, 385.

Fusarium culmorum, Effect of crop debris on the pathogenicity of, 289.

Gravenstein apple, Calyx end structure in the, 69.

Growth
of damaged wheat seed, Effect of naphthylacetic acid on, 215.
of micro-organisms, Factors essential for, 134.
of wheat, Effect of nutrient salts on early, 151.
Plant, Influence of, on character of the bacterial flora, 42.
Winter, in vegetative buds of apple, 585.

Gymnosporangium
Geographical distribution of, 469.
New species of
G. guatemalianum, 10.
G. meridissimum, 11.
G. minus, 11.

Hay, Nitrification under, 136, 142, 374.

Hay crop residues
Composition of, 136.
Composition of organic matter in, 375.
Properties of extracts of fermenting, 379.

Helianthus tuberosus, An aberrant strain of Puccinia on, 513.

Helminthosporium sativum
Effect of crop debris on pathogenicity of, 289.
on wheat, Association effects of other soil fungi on, 562.
Use of water by wheat plants inoculated with, 178.

Heterothallic species of Uromyces and Phragmidium, 19.

Histology of some physiological disorders of the apple fruit, 26.

Homothallic species of Puccinia, 21.

Hordeum, Interspecific and intergeneric crosses with, 372.

Hormones
Effect of, on damaged wheat seed, 215.
on Lonicera tatarica cuttings, 283.
on propagation of spruce cuttings, 13, 122, 401, 566, 591, 612.
Effect of seed treatment with, in barley, 507.
Responses of cuttings to, 457.

Hybrids, Chromosome number and behaviour in derivatives of pentaploid wheat, 415.

Hybrid tests to indicate yielding capacity of wheat crosses, 578.

Hydrangea, Frost resistance and physical state of protoplasm in, 554.

Hydrangea arborescens cuttings, Responses of, to naphthyl acids and their potassium salts, 464.

Indicators for fatty acids, 162.

Indolylacetic acid
Effect of, on growth and yield of barley, 507.
Effect of, on propagation of spruce cuttings, 13, 122, 401, 566, 591, 612.
Responses of cuttings to, 457.

Indolylbutyric acid
Effect of dusts containing, on dormant Lonicera tatarica cuttings, 283.
Effect of, on propagation of spruce cuttings, 404.

Inheritance, Mendelian, of pathogenic characters in Puccinia, 599.

Ink-spot disease of poplar, 199.

Internal cork in apple fruit, Histology of, 27.

Iresine Lindeni cuttings, Responses of, to naphthyl acids and their potassium salts, 464.

Light, Influence of intensity and period of, on rust resistance in wheat, 359, 364.

Loaf volume of bread and protein content of wheat, Relation between, 111.

Lonicera tatarica cuttings
Effects of dusts containing indolylbutyric acid and oestrone on rooting of dormant, 283.
Responses of, to naphthyl acids and their potassium salts, 459.

Malt extract
Correlation between enzymatic activities and, 35.
Regression of, on carbohydrate fractions of barley, 224.

Malting loss, Correlation between enzymatic activities and, 35.

Malting properties, Correlations between carbohydrate fractions of barley and, 222.

Malts, See Barleys and.

Mangels, Microbial population in rhizosphere of, 445.

Meiosis, In Triticum durum var. Iumillo, in Triticum vulgare, and in their hybrids, 418.

Mercury, Organic
in talc dust, Effect on rooting of spruce cuttings, 14, 410, 566.
seed disinfectants, Effect of nutrient salts in, on wheat growth, 151.

Meteorology, Agricultural, Study of conservation of precipitation by summer fallowed soil tanks, 388.

Micro-organisms
Action of, on fat.
II. Observations of uninoculated globules of triglycerides and fatty acids and of butterfat in an agar medium, 158.
Interaction of higher plants and soil
I. Microbial population of rhizosphere of seedlings of certain cultivated plants, 307.
II. Study of the microbial population of the rhizosphere in relation to resistance of plants to soil-borne diseases, 444.
Qualitative studies of soil
III. Influence of plant growth on the character of the bacterial flora, 42.
IV. The rhizosphere in relation to the nutritive requirements of soil bacteria, 129.

Mineral nutrients, Influence of, on rust resistance in wheat, 368.

Moisture, Soil
Influence of, on microbial population of rhizosphere, 450.
Influence of, on rust resistance in wheat, 362.
Relation to numbers of soil bacteria, 436.

Mucor, in hay crop residues, 385.

Naphthyl acids, Responses of cuttings to, 457.

Naphthylacetic acid
and its potassium salt, Responses of cuttings to, 457.
Effect of, on damaged wheat seed, 215.
on rooting of spruce cuttings, 15, 566.

Naphthylbutyric acid and its potassium salt, Response of cuttings to, 457.

Naphthylhexoic acid and its potassium salt, Responses of plant cuttings to, 457.

Nitrification under and after alfalfa, brome, timothy, and western rye grass.
III. Composition of hay crop residues, 136.
IV. Oxidation-reduction potentials and carbon dioxide production, 142.
V. Biological assays of hay crop residue, 374.

Nitrogen, Salt-soluble barley, Inter-varietal correlation coefficients among enzymatic activities, steeping time, and, 37.

Nitrogen content
of hay crop residues, 136.
Correlation coefficients between barley properties and, in varieties of barley, 174.

Nitrogen fractions of barley, Correlations between carbohydrate and, 220.

Norway spruce, See Conifers, Vegetative propagation of.

Nutrient salts in seed disinfectants. Effect on germination and growth of wheat, 151.

Nutrient solutions and indolylacetic acid, Effect of, on the rooting of Norway spruce cuttings, 122.

Oat(s)
Crossing and selfing studies with physiologic races of stem rust of, 54.
Effect of, straw on pathogenicity of cereal root-rotting fungi, 289.
Microbial population in rhizosphere of, 307, 445.
Seedling reactions of, to rust, 489.

Oestrone, Effects of dusts containing, on dormant Lonicera tatarica cuttings, 283.

Ophiobolus graminis, Effect of crop debris on the pathogenicity of, 289.

Organic mercury, See Mercury, Organic.

Oxidation-reduction potentials of soils under hay and wheat, 143.

Parthenogenesis in some Poa species, 518.

Peas, Microbial population in rhizosphere of, 307.

Penicillium
Association effects of, on virulence of Helminthosporium on wheat, 563.
Effect of hay crop residue extract on, 379.
isolated from hay crop residue, 385.

Pentaploid wheat hybrid derivatives, Chromosome number and behaviour in, 415.

Pezicula Grovesii, a new Discomycete species in Nova Scotia, 543.

Phragmidium speciosum, Sexual behaviour in, 20.

Phythium
arrhenomanes, Effects of soil amendments on the incidence of, 240.
tardicrescens, Effects of soil amendments on the incidence of, 240.

Phytohormone seed treatment, Effect of, in barley, 507.

Phytohormone solutions, Response of Norway spruce to, 124, 566.

Phytohormones, See Hormones.

Phytomonas tumefaciens, Effect of, on chemical composition of beets, 613.

Picea glauca, Vegetative propagation of, 612.

Pine, White, Vegetative propagation of, 612.

Pinus strobus, Vegetative propagation of, 612.

Poa, Reproduction in
P. alpigena, 518.
P. alpina, 518.
P. artica, 518.

Poplar, Ink-spot disease of, 199.

Populus, Sclerotinia bifrons parasitic on species of, 201.

Poria Weirii, as cause of root-rot of Douglas fir, 522.

Potassium salts of naphthyl acids, Responses of cuttings to, 457.

Precipitation
in Alberta and Saskatchewan, Correlation of sunspot periodicity with, 81.
Study of conservation of, by summer fallowed soil tanks in Saskatchewan, 388.

Protein content of wheat and loaf volume of bread, Relation between, 111.

Protoplasm, Relation between frost resistance and physical state of, 550.

Prunus in Eastern Canada, Key to species of, 321.

Pseudogamy in some Poa species, 518.

Pseudotsuga taxifolia, Root-rot of, 522.

Puccinia
coronata Avenae, Seedling reactions of oats to, 502.
graminis Avenae
Breeding behaviour of known physiologic races of, 55.
Seedling reactions of oats to, 498.
graminis Tritici
Mendelian inheritance of certain pathogenic characters of, 599.
Resistance of Hope wheat to, 357.
Seedling reactions of wheat varieties to, 492.
Seedling and mature-plant reaction of wheat crosses to, 258.
Helianthi, An aberrant strain of, 513.
Sexual behaviour in some species of, 18.
triticina, Seedling reactions of wheat to, 498.

Rhizosphere
in relation to nutritive requirements of soil bacteria, 129.
of seedlings of certain cultivated plants, Microbial population of, 307.
Plant resistance and microbial population of, 444.
Qualitative study of micro-organisms of, 42.

Root-rot
of cereals, Studies on browning, 240.
of Douglas fir, 522.
Use of water, by wheat infected by, during early growth, 178.

Root-rotting fungi, Effect of crop debris on pathogenicity of cereal, 289.

Rust(s)
An aberrant strain of Puccinia Helianthi, 513.
Crown, Seedling reactions of oats to, 489.
Leaf, Seedling reactions of wheat to, 489.
Mendelian inheritance of certain pathogenic characters of Puccinia graminis Tritici, 599.
Oat stem, Crossing and selfing studies with physiologic races of, 54.
Sexual behaviour of several, 18.
Stem
Resistance of Hope wheat to, 357.
Resistance of wheat crosses to, 258.
Seedling reactions of oats and wheat to, 489.
Three new species of Gymnosporangium, 10.

Salts, Nutrient, Effect of, on disinfected wheat seed, 151.

Sambucus canadensis cuttings, Responses of, to naphthyl acids and their potassium salts, 459.

Sarcodon stereosarcinon, a new Basidiomycete species in Nova Scotia, 102.

Sclerotinia bifrons parasitic on poplar, 199.

Secale cereale, crosses with Hordeum species, 373.

Seedlings of wheat and oat varieties, Reactions of, to rust, 489.

Seeds, Effect of phytohormone dust treatment of barley, 507.

Smut, Covered, Physiologic races of Ustilago hordei in Alberta, 76.

Soil amendments, Effects of, on browning root-rot in wheat, 240.

Soil bacteria, See Bacteria.

Soil-borne diseases, Microbial population of rhizosphere and plant resistance to, 444.

Soil fungi, Association effects of, on virulence of Helminthosporium on wheat, 562.

Soil micro-organisms, See Micro-organisms.

Soil tanks, Summer fallowed, Conservation of precipitation by, 388.

Soils under hay and wheat
Carbon dioxide production of, 148.
Nitrate production of, 149.

Spicularia terrestris, a new species, 314.

Spruce, See Conifers, Vegetative propagation of.

Starch content of varieties of barley, 169.

Steeping time, Correlation between enzym atic activities and, 35.

Sugar, Cane, See Cane sugar.

Sugar beets, See Beets.

Sunspot periodicity, Relation of, to precipitation, temperature, and crop yields in Alberta and Saskatchewan, 79.

Temperature
in Alberta and Saskatchewan, Correlation of sunspot periodicity with, 81.
Influence of, on rust-resistance in wheat, 367.
Relation of, to numbers of soil bacteria, 439.

Tetraploid sugar beets, 273.

Tetraploidy induced by colchicine, 273.

Thuja plicata, Poria Weirii isolated from, 531.

Time, Relation of, to numbers of soil bacteria, 439.

Timothy, Nitrification under and after, 136, 142, 374.

Tobacco, Resistant and susceptible to black root-rot, Microbial population in rhizosphere of, 453.

Tobacco rhizosphere, Nutritive requirements of bacteria from, 131.

Tree physiology, Studies in
II. Seasonal changes in the food reserves of field birch (Betula populifolia Marsh.), 1.

Triglycerides, Observations on uninoculated globules of, 160.

Triploid sugar beets, 273.

Triticum
and Agropyron, Hybridization of
VI. Induced fertility in Vernal emmer × A. glaucum, 230.
durum, Meiosis in var. Iumillo and in hybrids with T. vulgare, 418.
hybrids, Seedling and mature-plant reaction to stem rust in, 258.
Seedling reactions of varieties of, to rust, 489.
vulgare, Meiosis in varieties of, and in hybrids with T. durum, 418.

Tsuga heterophylla, Poria Weirii isolated from, 523.

Tympania acericola, a new Discomycete species in Nova Scotia, 544.

Uromyces
Sexual behaviour in
U. Fabae, 19.
U. Trifolii hybridi, 19.

Ustilago hordei (Pers.) K. and S. in Alberta, Physiologic races of, 76.

Vegetative buds of apple, Winter growth in, 585.

Vegetative propagation of conifers, See Conifers.

Wagener apple, See Apple.

Water, Use of, by wheat inoculated with Helminthosporium sativum, 178.

Water core in apple fruit, Histology of, 31.

Western hemlock, Poria Weirii isolated from, 523.

Western rye grass, Nitrification under and after, 136, 142, 374.

Wheat
Association effects of soil fungi on Helminthosporium on, 562.
Chromosome number and behaviour in pentaploid hybrids of, 415.
crosses, Seedling and mature-plant reaction to stem rust in, 258.
Effect of hay crop residue extract on, 383.
Effect of nutrient salts in seed disinfectants on germination and early growth of, 151.

Wheat—*Continued.*

Effect of soil amendments on incidence of browning root-rot in, 240.

Effect of, straw on pathogenicity of root-rotting fungi, 289.

Fertility induced in Triticum-Agropyron glaucum hybrids by colchicine, 230.

Influence of environment on rust resistance of Hope, 357.

Mendelian inheritance of pathogenic characters of Puccinia on varieties of, 599.

Microbial population in rhizosphere of, 307.

Nitrification under, 136, 142.

Wheat—*Concluded.*

seed damaged by formaldehyde, Effects of naphthylacetic acid on, 215.

Seedling reactions of, to rust, 489.

Use of water by, inoculated with Helminthosporium sativum, 178.

Varietal differences in relation between protein content of, and loaf volume of bread, 111.

Yielding capacity of, 578.

White pine, See Pine.

White spruce, See Spruce.

CANADIAN JOURNAL OF RESEARCH

VOLUME 18
1940
SECTION D

CANADA

Published by the
NATIONAL
RESEARCH COUNCIL
of CANADA

SECTION D

INDEX TO VOLUME 18

Authors

Boyd, E. M. and Clarke, E. L.—The interrelation of lipids in the blood plasma of white leghorn cockerels, 49.

Cameron, T. W. M.—Investigations on Trichinosis in Canada. III. On the incidence of Trichinosis in garbage-fed hogs, 83.

Cameron, T. W. M., Parnell, I. W., and Lyster, L. L.—The helminth parasites of sledge-dogs in Northern Canada and Newfoundland, 325.

Chadderton, A. E.—See Cook, W. H.

Charnley, F. and Harcus, L. M.—The distribution of the red and yellow colours of the muscle tissue of British Columbia canned spring salmon around the means of the individual distributions occurring in small, arbitrarily chosen time intervals, 410.

Clarke, E. L.—See Boyd, E. M.

Collier, H. B.—The fate of phenothiazine in the sheep, 272.

Collier, H. B.—See Swales, W. E.

Cook, W. H.—See White, W. H., Winkler, C. A.

Cook, W. H. and Chadderton, A. E.—Canadian Wiltshire bacon. III. pH, oxidation-reduction potential, and miscellaneous measurements on bacon and pickle, 149.

Cook, W. H. and White, W. H.—Canadian Wiltshire bacon. II. Chlorine, nitrate, and nitrite content of bacon and pickle, 135. IV. Correlation between constituents and properties of bacon, 159.

Frozen storage of poultry. IV. Further observations on surface drying and peroxide oxygen formation, 363.

Cook, W. H., Gibbons, N. E., Winkler, C. A., and White, W. H.—Canadian Wiltshire bacon. I. Outline of investigation and methods, 123.

Fallis, A. M.—Studies on *Oestrus ovis* L., 442.

Gibbons, N. E.—Canadian Wiltshire bacon.

V. Quantitative bacteriological studies on curing pickles, 191.

VI. Quantitative bacteriological studies on product, 202.

Gibbons, N. E.—See Cook, W. H.

Griffiths, H. J.—Studies on *Strongyloides agoutii* sp. nov. from the agouti (*Dasyprocta agouti*), 173.

Experimental studies on *Strongyloides agoutii* in the guinea pig, 307.

Harcus, L. M.—See Charnley, F.

Hart, J. F. L.—Reptant decapod crustacea of the west coasts of Vancouver and Queen Charlotte Islands, British Columbia, 86.

Hayes, F. R. and Hollett, A.—The carbohydrate metabolism of developing salmon eggs, 53.

Hollett, A.—See Hayes, F. R.

Hopkins, J. W.—See Winkler, C. A.

Komarov, S. A. and Stavraky, G. W.—The nitrogenous constituents of cat's submaxillary saliva evoked by parasympathetic and sympathetic stimulation, 233.

Kropp, B.—Partial congenital occlusion of the vagina in the silver fox, 305.

Lyster, L. L.—*Paraceonogonimus katsuradi* sp. nov. (Trematoda: Strigeida) from *Lophodytes cucullatus* in Quebec, 79.

Apophallus imperator sp. nov., a heterophyid encysted in trout, with a contribution to its life history, 106.

Parasites of freshwater fish. II. Parasitism of speckled and lake trout and the fish found associated with them in Lake Commandant, Que., 66.

Parasites of some Canadian sea mammals, 395.

Lyster, L. L.—See Cameron, T. W. M.

McLeod, J. A. Studies on cercarial dermatitis and the trematode family Schistosomatidae in Manitoba, 1.

Medcof, J. C.—On the life cycle and other aspects of the snail, *Campeloma*, in the Speed River, 165.

Miller, M. J.—A new trematode, *Fibricola laruei*, from the racoon in Canada, 333.

Parasites of freshwater fish. III. Further studies on the internal trematodes of fish in the central St. Lawrence watershed, 423.

Morrison, F. O.—A revision of the American species of *Gonia* Meigen (Diptera: Tachinidae), 336.

Parnell, I. W.—Studies on the bionomics and control of the bursate nematodes of horses and sheep. VIII. Comparisons of the lethal effects of some chemicals containing sulphur on the free-living stages of sclerostomes, 371.

Parnell, I. W.—See Cameron, T. W. M.

Rooke, E. A.—See Winkler, C. A.

Stavraky, G. W.—See Komarov, S. A.

Swales, W. E.—The helminth parasites and parasitic diseases of sheep in Canada. I. A survey and some preliminary studies on existing problems, 29.

Further experiments on the use of phenothiazine as an anthelmintic for sheep, 266.

Swales, W. E. and Collier, H. B.—Studies on effects and excretion of phenothiazine when used as an anthelmintic for sheep, 279.

Thistle, M. W.—See Winkler, C. A.

White, W. H.—See Cook, W. H.

White, W. H. and Cook, W. H.—Canadian Wiltshire bacon. X. Distribution of chloride, 249.

White, W. H., Cook, W. H., and Winkler, C. A.—Canadian Wiltshire bacon. XI. Effect of heat treatment on nitrite content, 260.

Winkler, C. A.—See Cook, W. H., White, W. H.

Winkler, C. A., Cook, W. H., and Rooke, E. A.—Colour of meat. III. An improved colour comparator for solids, 435.

Winkler, C. A. and Hopkins, J. W.—Canadian Wiltshire bacon.

VII. Specification of colour and colour stability, 211.

XII. Effect of heat treatment on the colour and colour stability of bacon, 289.

XIII. Tenderness of bacon and effect of heat treatment on tenderness, 300.

Winkler, C. A., Hopkins, J. W., and Rooke, E. A.—Canadian Wiltshire bacon. IX. Colour stability of bacon and its correlation with chemical analyses, 225.

Winkler, C. A., Hopkins, J. W., and Thistle, M. W.—Canadian Wiltshire bacon. VIII. Colour of bacon and its correlation with chemical analyses, 217.

SECTION D

INDEX TO VOLUME 18

Subjects

Acanthocephala in sledge-dogs, 332.

Acanthocephalids
parasitic on some Canadian sea mammals, 405.
parasitic on speckled trout and suckers, 72.

Adrenaline, Effect of, on nitrogenous constituents of cat's saliva, 235.

Agouti, Strongyloides agoutii parasitic on, 173.

Anallocreadium pearsei Hunter and Bangham, 1934, Synonymity of, 427.

Anisakis simplex, Observations on flagella in, 404.

Anthelmintic for sheep, Phenothiazine as, 266, 272, 279.

Apharyngeal brevifurcate cercariae causing cercarial dermatitis in Manitoba, 1.

Apophallus imperator, a heterophyid encysted in trout, 106.

Bacon, Canadian Wiltshire
I. Outline of investigation and methods, 123.
II. Chlorine, nitrate, and nitrite content of bacon and pickle, 135.
III. pH, oxidation-reduction potential, and miscellaneous measurements on bacon and pickle, 149.
IV. Correlation between constituents and properties of bacon, 159.
V. Quantitative bacteriological studies on curing pickles, 191.
VI. Quantitative bacteriological studies on product, 202.
VII. Specification of colour and colour stability, 211.
VIII. Colour of bacon and its correlation with chemical analyses, 217.
IX. Colour stability of bacon and its correlation with chemical analyses, 225.
X. Distribution of chloride, 249.
XI. Effect of heat treatment on nitrite content, 260.
XII. Effect of heat treatment on colour and colour stability of bacon, 289.
XIII. Tenderness of bacon and effect of heat treatment on tenderness, 300.

Bacteria, Numbers of
in pickles for curing bacon, 127, 191.
on bacon, 202.

Bionomics and control of nematodes of horses and sheep, 371.

Blood, Comparison of lipids in human, cockerel, rabbit, and guinea-pig, 51.

Blood plasma of white leghorn cockerels, Interrelation of lipids in the, 49.

Bunoderina Miller, 1936, Synonymity of, 428.

Butterfat, Observations on uninoculated globules of, 163.

Campeloma, Life cycle of, 165.

Carbohydrate metabolism of developing salmon eggs, 53.

Cat, Nitrogenous constituents of submaxillary saliva of the, 233.

Catostomus commersonii, Parasites of, 70.

Caudotestis Yamaguti, 1934, Synonymity of, 423.

Cercaria
dermolestes, A new schistosome species, 8.
wardlei, A revision of the species, 9.

Cercariae
Dermatitis-provoking, 5.
Furcocercous, of Manitoba, 7.

Cercarial dermatitis in Manitoba, 1.

Cestoda as parasites of sheep in Canada, 30.

Cestodes
parasitic on freshwater fish, 70.
parasitic on some Canadian sea mammals, 407.

Chabertiasis, a parasitic disease of sheep, 29.

Chloride
content of bacon and pickle, 137, 160.
Distribution of, in bacon, 249.

Chorda tympani, Effect of stimulation of the, on nitrogenous constituents of cat's saliva, 235.

Cockerels, Interrelation of lipids in the blood plasma of white leghorn, 49.

Colour, Distribution of red and yellow in canned salmon, 410.

Colour and colour stability of bacon, Specification of, 211.

Colour comparator for solids, An improved, 435.

Colour of bacon
and correlation with chemical analyses, 217.
Effect of heat treatment on, 290.

Colour of meat
III. An improved colour comparator for solids, 435.

Colour stability of bacon
and correlation with chemical analyses, 225.
Effect of heat treatment on, 293.

Corynosoma
semerme, A new record for, 406.
First record of, from North America, 332.
strumosum, A new record for, 405.

Cristivomer naymaycush, Parasites of, 66.

Crustacea, Reptant decapod, on the west coasts of Vancouver and Queen Charlotte Islands, B.C., 86.

Dasyprocta agouti, Strongyloides agoutii parasitic on, 173.

Decapod crustacea in British Columbia, 86.

Dermatitis, Cercarial, in Manitoba, 1.

Diptera, A revision of the American species of Gonia, 336.

Dogs, Helminth parasites of sledge-, 325.

Eggs, Salmon, Carbohydrate metabolism of developing, 53.

Fatty acids, Formation of, in frozen storage of poultry, 368.

F'bricola laruei, A new trematode from the racoon, 333.

Fish, Freshwater, Parasites of
II. Parasitism of speckled trout and lake trout and the fish found associated with them in Lake Commandant, Que., 66.
III. Further studies on the internal trematodes of fish in the central St. Lawrence watershed, 423.

Fox, Silver, Partial congenital occlusion of the vagina in, 305.

Glaridacris intermedius, A new cestode species parasitic on Catostomus, 70.

Glucose content of salmon eggs, yolk sac, embryo and liver, 56.

Glycogen content of salmon eggs, yolk sac, embryo, and liver, 56.

Gonia
New species of
G. albagenae, 349.
G. discalis, 347.
G. grandipulvilli, 345.
G. tenuiforceps, 356.
Revision of American species of, 336.

Guinea pig, Strongyloides agoutii in, 307.

Haemonchiasis, A parasitic disease of sheep, 29.

Helminth parasites
and parasitic diseases of sheep in Canada. I. A survey and some preliminary studies on existing problems, 29.
of sledge-dogs in Northern Canada and Newfoundland, 325.

Helobdella nepheloidea infesting Campeloma, 172.

Hogs, Garbage-fed, Incidence of trichinosis in, 83.

Horses, Bionomics and control of nematodes of, 371.

Hydrogen ion concentration of bacon and pickle, 150, 160.

Lambs, Oestrus ovis parasitic on, 442.

Larus
argentatus, as host for schistosomes, 20.
delawarensis, as host for schistosomes, 22.

Leghorn cockerels, Interrelation of lipids in the blood plasma of, 49.

Lipids in the blood plasma of leghorn cockerels, Interrelation of, 49.

Lophodytes cucullatus, Paraceonogonimus katsuradi from ,79.

Mammals
examined for schistosomes, 13.
Parasites of some Canadian sea, 395.

Meat, Colour of
III. An improved colour comparator for solids, 435.

Mesovelia bisignata infesting Campeloma, 172.

Metabolism, Carbohydrate, of developing salmon eggs, 53.

Moisture content of bacon, 154, 160.

Moisture loss in bacon, Correlation of colour and colour stability and, 297.

Mollusca, Species of, as hosts for schistosomes, 11.

Muscle tissue of canned salmon, Distribution of colour in, 410.

Nematoda as parasites of sheep in Canada, 30.

Nematodes
in sledge-dogs, 326.
parasitic on some Canadian sea mammals, 396.
parasitic on speckled trout and suckers, 72.
Strongyloides agoutii in guinea pig, 307.
Studies on the bionomics and control of the bursate, of horses and sheep.
VIII. Comparisons of the lethal effects of some chemicals containing sulphur on the free-living stages of sclerostomes, 371.

Nitrate content of bacon and pickle, 139, 160.

Nitrite content of bacon
and pickle, 141, 160.
Correlation of colour and colour stability and, 297.
Effect of heat treatment on, 260.

Nitrite content of curing pickle for bacon, Changes in, during storage, 126.

Nitrogen, Non-protein
in cat's saliva evoked by stimulation, 240.
New method for determination of, in saliva, 234.

Nitrogenous constituents of cat's saliva evoked by stimulation, 233.

Oesophagostomiasis, a parasitic disease of sheep, 29.

Oestrus ovis L., Studies on, 442.

Oncorhynchus Tschawytscha, Distribution of colour in, 410.

Ornithobilharzia
aviana, A new schistosome species, 18.
filamenta, A new schistosome species, 21.

Oxidation-reduction potential of bacon and pickle, 152, 160.

Paraceonogonimus Katsurada, 1914, A modification of the genus, 79.

Paraceonogonimus katsuradi a new trematode species from Lophodytes cucullatus, 79.

Parasites
Helminth, and parasitic diseases of sheep in Canada.
I. A survey and some preliminary studies on existing problems, 29.
Helminth, of sledge-dogs, 325.
of freshwater fish.
II. Parasitism of speckled and lake trout and the fish found associated with them in Lake Commandant, Que., 66.

Parasites—*Concluded.*
III. Further studies on the internal trematodes of fish in the central St. Lawrence watershed, 423.
Oestrus ovis parasitic on lambs, 442.
of some Canadian sea mammals, 395.

Parastiotrema ottawanensis, A new trematode species, 428.

Parthenogenesis in the snail, Campeloma, 169.

Perca flavescens, Parasites of, 67.

Peroxide oxygen, Formation of, in frozen storage of poultry, 363.

Phenothiazine
as an anthelmintic for sheep, 266.
Effects and excretion of, as an anthelmintic for sheep, 279.
in sheep, Fate of, 272.

Phocascaris netsiki, A new nematode species, 399.

Phyllodistomum lysteri, A new species, 432.

Pickle for curing bacon, See Bacon.

Pilocarpine, Effect of, on nitrogenous constituents of cat's saliva, 235.

Plagioporus
Key to American species of, 426.
serratus, A new species, 425.
serotinus Stafford, A redescription of, 424.

Poultry, Frozen storage of
IV. Further observations on surface drying and peroxide oxygen formation, 363.

Prohemistomini Dubois, 1938, A modification of the subfamily, 79.

Protein in cat's submaxillary saliva evoked by stimulation, 235.

Protein nitrogen content of bacon pickle, 155.

Racoon, A new trematode from the, 333.

Raphidascaris alius, A new nematode species parasitic on Salvelinus, 73.

Rhabdochona laurentiana, A new nematode species parasitic on Catostomus, 74.

Saliva, Nitrogenous constituents of cat's submaxillary, 233.

Salmo salar, Analysis of eggs from, 54.

Salmon
Distribution of colour in British Columbia canned spring, 410.
eggs, Carbohydrate metabolism of developing, 53.

Salvelinus fontinalis
Apophallus imperator encysted in, 106.
Parasites of, 67.

Schistosomatidae
Classification of, 16.
Studies on cercarial dermatitis and, in Manitoba, 1.

Schistosomes
Birds examined for, 14.
Mammals examined for, 13.
Molluscs examined for, 11.

Sclerostomes, Lethal effects of sulphur-containing chemicals on, 371.

Sheep
Bionomics and control of nematodes of, 371.
Phenothiazine as an anthelmintic for, 266, 272, 279.

Sheep in Canada, Helminth parasites and parasitic diseases of. I. A survey and some preliminary studies on existing problems, 29.

Sledge-dogs, Helminth parasites of, 325.

Snail, Campeloma, Life cycle of, 165.

Stagnicola
emarginata canadensis, as host of Cercaria wardlei, 11.
palustris elodes, as host of Cercaria dermolestes, 8.

Storage of poultry, Frozen, IV. Further observations on surface drying and peroxide oxygen formation, 363.

Strongyloides
agoutii, A new nematode species, 173.
agoutii in guinea pig, 307.
A list of the known species of, 175.

Sulphur-containing chemicals, Effect of, on sclerostomes, 371.

Swimmer's itch and the trematode family Schistosomatidae in Manitoba, 1.

Sympathetic nerve, Effect of stimulation of, on nitrogenous constituents of cat's saliva, 235.

Tachinidae, A revision of the American species of Gonia, 336.

Tapeworms in sledge-dogs, 329.

Temperature, Effect of heat treatment on nitrite content of Canadian Wiltshire bacon, 260.

Trematoda as parasites of sheep in Canada, 30.

Trematode(s)
A new species of, from the racoon, 333.
Apophallus imperator, A new species of, 106.
in sledge-dogs, 331.
infesting Campeloma, 172.
Internal, of fish in St. Lawrence watershed, 423.
Paraceonogonimus katsuradi, A new species of, 79.
Species of, in freshwater fish, 66.
Studies on cercarcial dermatitis and, family Schistosomatidae in Manitoba, 1.
Three new species of, 423.

Trichinosis in Canada, Investigations on III. On the incidence of trichinosis in garbage-fed hogs, 83.

Trichostrongylosis, A parasitic disease of sheep, 29.

Trout
Apophallus imperator encysted in, 106.
Speckled and lake, and the fish found associated with them in Lake Commandant, Que., Parasitism of, 66.

Unionicola campelomaicola infesting Campeloma, 172.

Vagina, Partial congenital occlusion of, in silver fox, 305.

Vulpes fulva fulva, Partial congenital occlusion of the vagina in, 305.

Wiltshire bacon, See Bacon, Canadian Wiltshire.